

Σ+ KEY	Special [Σ+] hotkey assignments					
g-shift						
f-shift	→DRG ○	→i⓪ ○	→R↑ ○	→x! ○		N→U
unshifted	→Σ+ ⓪	→USER ○	→α ○	→f/g ○	→g ○	U→N
Page 1	F1	F2	F3	F4	F5	F6

Prev menu https://47calc.com/doc/C47/Menus/C47_Menu_alphaMisc_page_5.pdf

Next menu https://47calc.com/doc/C47/Menus/C47_Menu_StdNorml_page_1.pdf

Level	Label	Type	FullName	Extended description	Category	Flag	Catalog	Default
Menu p1	Σ + KEY	MENU	Special [Σ +] assignments	Special hotkey assignments to key [Σ +] in NORMAL mode	Customisation		$\square\Sigma$ +KEY	
F1	$\rightarrow\Sigma$ + $\odot$	Setting (pgm)	[Σ] Σ +	Assign Σ + to [Σ +] hotkey for NORMAL mode ONLY & deactivate USER mode ; Info : Shown in KEYMAP as Σ + (normal)	Customisation			ON
F2	$\rightarrow$ USER $\odot$	Setting (pgm)	[Σ] USER	Assign USER to [Σ +] hotkey for NORMAL mode ONLY & deactivate USER mode ; Info : Shown in KEYMAP as [USER] (inverse)	Customisation			OFF
F3	$\rightarrow\alpha$ $\odot$	Setting (pgm)	[Σ] α	Assign α to [Σ +] hotkey for NORMAL mode ONLY & deactivate USER mode ; Info : Shown in KEYMAP as [α] (inverse) and in simulator as bright orange key	Customisation			OFF
F4	$\rightarrow$ f/g $\odot$	Setting (pgm)	[Σ] f/g	Assign f/g to [Σ +] hotkey for NORMAL as well as USER mode ; disables longpress on [Σ +] and the use of this key as A in ASM two character search ; Info : Shown in KEYMAP as [f/g] (inverse)	Customisation			OFF
F5	$\rightarrow$ g $\odot$	Setting (pgm)	[Σ] g	Assign <g> to [Σ +] hotkey for NORMAL as well as USER mode ; disables longpress on [Σ +] and the use of this key as A in ASM two character search ; Info : Shown in KEYMAP as [g] (inverse)	Customisation			OFF
F6	U $\rightarrow$ N	Command	Copy USER assignment to [Σ +]	Copy [Σ +] USER assignment to [Σ +] NORMAL assignment and deactivate USER mode	Customisation			
fF1	$\rightarrow$ DRG $\odot$	Setting (pgm)	[Σ] DRG	Assign DRG to [Σ +] hotkey for NORMAL mode ONLY & deactivate USER mode ; Info : Shown in KEYMAP as [DRG] (inverse)	Customisation			OFF
fF2	$\rightarrow i_{\odot}$ $\odot$	Setting (pgm)	[Σ] $i_{\odot}$	Assign $i_{\odot}$ to [Σ +] hotkey for NORMAL mode ONLY & deactivate USER mode ; Info : Shown in KEYMAP as [$i_{\odot}$] (inverse)	Customisation			OFF
fF3	$\rightarrow$ R $\uparrow$ $\odot$	Setting (pgm)	[Σ] R $\uparrow$	Assign R $\uparrow$ to [Σ +] hotkey for NORMAL mode ONLY & deactivate USER mode ; Info : Shown in KEYMAP as [R $\uparrow$] (inverse)	Customisation			OFF
fF4	$\rightarrow$ x! $\odot$	Setting (pgm)	[Σ] x!	Assign x! to [Σ +] hotkey for NORMAL mode ONLY & deactivate USER mode ; Info : Shown in KEYMAP as [x!] (inverse)	Customisation			OFF
fF5								
fF6	N $\rightarrow$ U	Command	Copy [Σ] assignment to USER	Copy [Σ] NORMAL assignment to [Σ] USER assignment and activate USER mode ; Info : Does not copy $\rightarrow$ g or $\rightarrow$ f/g assignment	Customisation			
gF1								
gF2								
gF3								
gF4								
gF5								
gF6								