

ALPHA	Alpha input					
g-shift	CAPS ▣	NUM □	^{SUP} _{SUB} □	USER □	↑	↓
f-shift	Myα	X.EDIT	X.SWAP	ASN	←	→
unshifted	A...Ω	αMath	αMisc	αINTL	←	→
Page 1	F1	F2	F3	F4	F5	F6

Prev menu https://47calc.com/doc/R47/Menus/R47v0_Menu_ALLVARS_page_2.pdf

Next menu https://47calc.com/doc/R47/Menus/R47v0_Menu_AMORT_page_1.pdf

Level	Label	Type	FullName	Extended description	Category	Flag	Catalog	Default
Menu p1	ALPHA	MENU	Alpha input	Alpha menu to enter, edit and clear alpha input ; Shortcut : alpha long [<f>] (because KEY.LP is SET ; also available in alpha mode of PEM ; not available in TamAlpha) ; Info : Alpha Input Mode is opened in UPPERCASE ; menu CAT [ALPHA] is available on keyboard alpha f[+] ; alpha g-shift characters can also be reached from alpha longpress keyboard	Text input		ALPHA	
F1	A...Ω	MENU	ALPHA...OMEGA	Uppercase Greek characters ; Info : Lowercase menu via [↓] ; single character selection	Characters		A...Ω	
F2	αMath	MENU	Alpha Math	Mathematical symbols ; Info : Single character selection	Characters		αMath	
F3	αMisc	MENU	Alpha miscellaneous	Special characters ; Info : Single character selection	Characters		αMisc	
F4	αINTL	MENU	Alpha international	Uppercase international characters ; Info : Lowercase menu via [↓] ; single character selection	Characters		αINTL	
F5	←	Arrow	Cursor left	Move cursor left	Text input			
F6	→	Arrow	Cursor right	Move cursor right	Text input			
fF1	Myα	MENU	MyAlpha	User menu to quickly access user selected special characters ; all buttons are user assignable ('riveted' look) ; initially unpopulated ; reset using Myα.R ; Shortcut : alpha long [EXIT] ; EIM long [EXIT] ; alpha long [<g>] (because KEY.LP is SET ; also available in alpha mode of PEM)	Customisation		Myα	
fF2	X.EDIT	Command	Edit X	Edit contents of stack register X as text ; Shortcut : alpha long [ENTER] ; EIM long [ENTER]	Text input		X.EDIT	
fF3	X.SWAP	Command	Swap X	Swap contents of X register with input of alpha buffer or equation editor	Text input		X.SWAP	
fF4	ASN	Command	Assign	Assign function, menu or character to a keyboard key or to a button in a menu ; for options including creating user defined menus, see reference page ; TAM : ASSIGN α (f[XEQ]) activates "ASSIGN 'α TamAlpha menu _" and allows a function or command to be spelled, to assign it to a key or button ; Info : "ASSIGN _ _" indicates that a key or button can be pressed to assign it to another button or key ; use button ASN ([ALPHA.1]fF4) for character assignments in Alpha Input Mode ; this button is not shown in Program Entry Mode ; Ref : https://47calc.com/doc/R47/Reference/R47v0_Assignment.pdf	Text input		ASSIGN	
fF5	←10	Arrow	Cursor left by 10	Move cursor left by 10 positions	Text input			
fF6	→10	Arrow	Cursor right by 10	Move cursor right by 10 positions	Text input			
gF1	CAPS ▣	Setting	Alpha capslock	Switch on alpha capslock ; not programmable ; Shortcut : alpha f[↑] / alpha f[↓] ; Info : sets initial case of menu A...Ω/α...ω and αINTL/aintl ; toggling alpha capslock clears Numlock ; SBI : A ; a	Text input	αCAP		ON
gF2	NUM □	Setting	Numlock	Switch on numlock ; not programmable - in PEM, use flag NUM ; Shortcut : alpha f[↑] / alpha f[↓] ; SBI : N	Numeric input	NUM		OFF
gF3	^{SUB} SUB □	Setting (cyclic)	Normal-super-subscript	Cycle normal-super-subscript (locking) ; Shortcut : alpha g[↑] / alpha g[↓] ; Info : button shows ^{SUB} SUB ; α ^{SUP} ; α _{SUB} ; SBI : A A ^A ; a a ^a ; n n ⁿ	Text input			Normal
gF4	USER □	Setting	USER mode	Switch on USER mode ; not programmable - in PEM, use flag USER ; Info : To assign USER to a key or button, use ASN (g[DRG]) and spell the name as 'USER' ; during assignment, pressing USER (f[DRG]) opens MyMenu ; Ref : https://47calc.com/doc/R47/Reference/R47v0_Assignment.pdf ; SBI : U	Customisation	USER		OFF
gF5	↑	Arrow	Cursor up	Move cursor up	Text input			
gF6	↓	Arrow	Cursor down	Move cursor down	Text input			

p1	ALPHA	Link
F1	A...Ω	https://47calc.com/doc/R47/Menus/R47v0_Menu_Alpha-0mega_page_1.pdf
F2	αMath	https://47calc.com/doc/R47/Menus/R47v0_Menu_alphaMATH_page_1.pdf
F3	αMisc	https://47calc.com/doc/R47/Menus/R47v0_Menu_alphaMisc_page_1.pdf
F4	αINTL	https://47calc.com/doc/R47/Menus/R47v0_Menu_alphaINTL_page_1.pdf
F5	←	
F6	→	
fF1	Myα	https://47calc.com/doc/R47/Menus/R47v0_Menu_MyAlpha_page_1.pdf
fF2	X.EDIT	
fF3	X.SWAP	
fF4	ASN	
fF5	↔	
fF6	↔	
gF1	CAPS ☐	
gF2	NUM ☐	
gF3	^{SUP} _{SUB} ☐	
gF4	USER ☐	
gF5	↑	
gF6	↓	