

MyM	MyMenu					
g-shift						
f-shift						
unshifted	<i>i</i>	CPX	π	MATX	TRG_R47	<i>e^x</i>
Page 2	F1	F2	F3	F4	F5	F6

Prev menu https://47calc.com/doc/R47/Menus/R47v0_Menu_MyMenu_page_1.pdf

Next menu https://47calc.com/doc/R47/Menus/R47v0_Menu_MyMenu_page_3.pdf

Level	Label	Type	FullName	Extended description	Category	Flag	Catalog	Default
Menu p2	MyM	MENU	MyMenu	User menu presenting a ribbon to quickly access user selected functions (and menus) ; all buttons are user assignable ('riveted' look) ; set by RIBBONS ; reset using MyM.R ; default ribbon M.R47 ; Shortcut : longpress [<g>] (because KEY.LP is SET; also available in Normal Mode of PEM; it is hinted at by the white keyboard label «CUST»); during assignment, pressing USER (f[DRG]) opens MyMenu ; Info : ribbons are documenten on page 1 : M.CPX ; 2 : M.ENG ; 3 : M.FIN ; 4 : M.SAV ; 5 : M.C47 ; 6 : M.R47 ; 7 : M.FIN+ ; 8 : M.SAV+	Customisation		MyMenu	
F1	i	Command	Complex number (rectangular notation)	Enter complex number (rectangular notation) whether RECT is set or not ; e.g. a i b ENTER results in a + b i ; Info : In NIM, works like CC with RECT set ; displayed according to flag CPX.j when in RECT mode	Complex numbers	CPX.j	op_ i	
F2	CPX	MENU	Complex functions	Complex functions ; Ref : https://47calc.com/doc/Application%20Notes/AN0001_C47_R47_JM_Complex_number_engineering_example.pdf	Complex numbers		CPX	
F3	π	Command	pi	Enter value of pi on the stack	Constants			
F4	MATX	MENU	Matrix	Matrix functions ; a matrix is displayed in X and shown in other stack registers as [m×n Matrix] or [m×n $\mathbb{C}$ Matrix] when containing complex element(s) ; Ref : https://47calc.com/doc/Application%20Notes/AN0020_C47_R47_Matrix_and_Vector.pdf ; Info : monadic functions work per matrix element (except 1/x, which is a shortcut for [M] ⁻¹ , use -1 y* instead ; and $\sqrt{x}$, which is a shortcut for MSQRT, use 0.5 y* instead) ; in edit mode, all functions work per element ; use registers to input calculation results	Matrix operations		MATX	
F5	TRG_R47	MENU	Trigonometry	Trigonometry functions ; Info : TRG_R47 replaces C47 menu TRG ; Ref : https://47calc.com/doc/R47/Reference/R47v0_DMS-HMS.pdf	Trigonometry		TRG_R47	
F6	e^x	Function (monadic)	e to the power x	Raise e to the power in the X-register	Mathematics		e^x	
fF1								
fF2								
fF3								
fF4								
fF5								
fF6								
gF1								
gF2								
gF3								
gF4								
gF5								
gF6								

p2	MyM	Link
F1	i	
F2	CPX	https://47calc.com/doc/R47/Menus/R47v0_Menu_CPX_page_1.pdf
F3	π	
F4	MATX	https://47calc.com/doc/R47/Menus/R47v0_Menu_MATX_page_1.pdf
F5	TRG_R47	https://47calc.com/doc/R47/Menus/R47v0_Menu_TRG_R47_page_1.pdf
F6	e^x	
fF1		
fF2		
fF3		
fF4		
fF5		
fF6		
gF1		
gF2		
gF3		
gF4		
gF5		
gF6		