

R47v0 Keyboard row 4

Key	Row	Column	Kind	Label	FullName	Extended description	Type	Catalog	Default
R47v0.41.11	4	1		ENTER	Enter	Enter input value to X (optionally also to Y) or push/duplicate value already in X to Y	Command	ENTER	
R47v0.41.12	4	1	f	COMPLEX	Complex	Convert to or from complex number (Info : a ENTER b COMPLEX returns $a+bi$ or $a\angle b$ (using angle tag, regardless of POLAR, or ADM) ; COMPLEX returns $Y : a, X : b$)	Function (dyadic)	COMPLEX	
R47v0.41.13	4	1	g	CPX	Complex functions	Complex functions	MENU	CPX	
R47v0.41.31	4	1	alpha	ENTER	Enter	Enter input value to X (optionally also to Y) or push/duplicate value already in X to Y	Command	ENTER	
R47v0.41.32	4	1	alpha f	X.EDIT	Edit X	Edit contents of X register	Command	X.EDIT	
R47v0.41.33	4	1	alpha g	↵	Carriage return	Character ↵ (Code : 8629)	Character		

R47v0.42.11	4	2		xzy	Swap X and Y	Swap register X and register Y	Command	xzy	
R47v0.42.12	4	2	f	LASTx	Last X	Recall last X (register L)	Command	LASTx	
R47v0.42.13	4	2	g	STK	Stack	Stack functions	MENU	STK	
R47v0.42.31	4	2	alpha	K	K	Character K (Code : 75)	Character		
R47v0.42.32	4	2	alpha f	k	k lowercase	Character k (Code : 107)	Character		
R47v0.42.33	4	2	alpha g	↵	Right over left arrow	Character ↵ (Hidden : alpha g[xzy] ; Code : 8644)	Character		

R47v0.43.11	4	3		CHS	Change sign	CHange Sign	Function (monadic)	CHS	
R47v0.43.12	4	3	f	DISP	Display settings	Display settings	MENU	DISP	
R47v0.43.13	4	3	g	TRG_D47	Trigonometry	Trigonometry functions (other layouts) (Ref : DMS-HMS)	MENU	TRG_D47	
R47v0.43.31	4	3	alpha	L	L	Character L (Code : 76)	Character		
R47v0.43.32	4	3	alpha f	l	l lowercase	Character l (Code : 108)	Character		
R47v0.43.33	4	3	alpha g	±	Plus-minus	Character ± (Hidden : alpha g[CHS] ; Code : 177)	Character		

R47v0.44.11	4	4		EEX	Enter exponent	Enter EXponent (decimal input, powers of 10) (Shortcut : Equation editor to enter multiple expressions : [EEX] enters E as a shortcut for 10^)	Command		
R47v0.44.12	4	4	f	PFX	Prefixes (UNIT)	Prefixes for UNIT mode	MENU	Prefix	
R47v0.44.13	4	4	g	EXP	Exponential	Exponential functions	MENU	EXP	
R47v0.44.31	4	4	alpha	M	M	Character M (Code : 77)	Character		
R47v0.44.32	4	4	alpha f	m	m lowercase	Character m (Code : 109)	Character		
R47v0.44.33	4	4	alpha g	<E>	Exponent sign (AIM)	Character E (displays as outline E in numeric font) (Hidden : alpha g[EEX] ; Code : 8307)	Character		

R47v0.45.11	4	5		↵	Backspace	Backspace (Clear input) (Moniker : BKSPC)	Command (nonpgm)		
R47v0.45.12	4	5	f	↶	Undo	Restore complete stack, LASTx, STATS and system flags	Command (nonpgm)	UNDO	
R47v0.45.13	4	5	g	CLR	Clear	Clear flags, programs, registers, stacks, variables and reset calculator	MENU	CLR	
R47v0.45.31	4	5	alpha	↵	Backspace	Backspace (Clear input) (Moniker : BKSPC)	Command (nonpgm)		
R47v0.45.32	4	5	alpha f	CLA	Clear alpha	Clear alphabetic input (Hidden : alpha f[↵] ; alpha g[↵] ; alpha long [↵])	Command		
R47v0.45.33	4	5	alpha g	CLA	Clear alpha	Clear alphabetic input (Hidden : alpha f[↵] ; alpha g[↵] ; alpha long [↵])	Command		

R47v0.46.11	4	6							
R47v0.46.12	4	6							
R47v0.46.13	4	6							
R47v0.46.31	4	6							
R47v0.46.32	4	6							
R47v0.46.33	4	6							