

EDIT	Edit equation Command (submnu)	Edit equation (previous equation loaded)					Category: Equation File: C47_Menu_EDIT_EQN...
-------------	--------------------------------	--	--	--	--	--	--

page scrolling indicator: ▲ ▼

Menu	EDIT	1	2	3	4	5	6
3	g-shift						
2	f-shift	FIB	C_{y_x}	P_{y_x}	!	sinc	sincπ
1	unshifted	LOG_{x_y}	LOG	LN	LB	←	→
Page	4	F1	F2	F3	F4	F5	F6

Info: EIM = Equation Input Mode ; scroll through expressions using [▲] and [▼] ; constant names cannot be used as variables ; [EEX] enters E as a shortcut for 10ⁿ ; Ref : Equation editor

EDIT	Page 4								
F-key	Button label (complete)	Full name	Description (extended)	Type	Flag name	Additional information	Catalog	Default	Status
F1	LOG _{x_y}	LOG _{x_y}	Logarithm of Y for base X	Function (dyadic)			LOG _{x_y}		
F2	LOG	Common logarithm	Common logarithm (base 10)	Function (monadic)			LOG		
F3	LN	Natural logarithm	Natural logarithm (base e)	Function (monadic)			LN		
F4	LB	Binary logarithm	Binary logarithm (base 2)	Function (monadic)			LB		
F5	←	Cursor left	Move cursor left	Arrow					
F6	→	Cursor right	Move cursor right	Arrow					

fShifted F1	FIB	Fibonacci	Fibonacci number n, where n = X	Function (monadic)			FIB		
fShifted F2	C_{y_x}	Combinations	Combinations of X out of Y	Function (dyadic)			COMB		
fShifted F3	P_{y_x}	Permutations	Permutations of X out of Y	Function (dyadic)			PERM		
fShifted F4	!	Exclamation mark	In edit equation, used as Factorial x! ; Γ(x+1)	Symbol		Hidden : alpha f [R/S] ; Code : 33			
fShifted F5	sinc	Sinc	(Sine of X) / X	Function (monadic)		Info : Integers and untagged reals are assumed to be radians	sinc		
fShifted F6	sincπ	Sinc pi	(Sine of π * X) / (π * X)	Function (monadic)		Info : Integers and untagged reals are assumed to be radians	sincπ		

gShifted F1	<empty>								
gShifted F2	<empty>								
gShifted F3	<empty>								
gShifted F4	<empty>								
gShifted F5	<empty>								
gShifted F6	<empty>								