

EDIT	Edit equation Command (subnu) ▲ ▼ <i>page scrolling indicator :</i>	Edit equation (previous equation loaded)	Category: Equation File: C47_Menu_EDIT_EQN...
-------------	---	--	--

Menu	EDIT	1	2	3	4	5	6
3	g-shift						
2	f-shift	B_n^*	erfc	W^{-1}	W_m	CHARS	X.SWAP
1	unshifted	B_n	erf	W_p	$\zeta(x)$	←	→
Page	7	F1	F2	F3	F4	F5	F6

Info	Constant names cannot be used as variables ; mode : EIM = Equation Input Mode ; starts lowercase ; Ref : Equation editor
------	--

EDIT	Page 7								
F-key	Button label (complete)	Full name	Description (extended)	Type	Flag name	Additional information	Catalog	Default	Status
F1	B_n	B_n	Bernoulli number (new definition)	Function (monadic)			B_n		
F2	erf	Error function	Error function	Function (monadic)			erf		
F3	W_p	W_p	Lambert's W function (principal branch) [http://mathworld.wolfram.com/LambertW-Function.html]	Function (monadic)			W_p		
F4	$\zeta(x)$	$\zeta(x)$	Riemann's Zeta for real arguments [http://mathworld.wolfram.com/RiemannZetaFunction.html]	Function (monadic)			$\zeta(x)$		
F5	←	Cursor left	Move cursor left	Arrow					
F6	→	Cursor right	Move cursor right	Arrow					

fShifted F1	B_n^*	B_n^*	Bernoulli number (old definition)	Function (monadic)			B_n^*		
fShifted F2	erfc	Complementary error function	Complementary error function	Function (monadic)			erfc		
fShifted F3	W^{-1}	W^{-1}	Inverse of W_p (≥ -1)	Function (monadic)			W^{-1}		
fShifted F4	W_m	W_m	Lambert's W function (negative branch ; m = minus) [http://en.wikipedia.org/wiki/Lambert_W_function]	Function (monadic)			W_m		
fShifted F5	CHARS	Characters	Access to all character submenus (international, greek, math, MyAlpha, alphaDot)	MENU			CHARS		
fShifted F6	X.SWAP	Swap X	Swap contents of X register with input of alpha or equation editor	Command			X.SWAP		

gShifted F1	<empty>								
gShifted F2	<empty>								
gShifted F3	<empty>								
gShifted F4	<empty>								
gShifted F5	<empty>								
gShifted F6	<empty>								