

<b>NEW</b>	New equation MENU (item, nonpgm)	Open equation editor menu to create new equation (previous equation pushed) ; displays menu EDIT [EQN]	Category: Equation File: C47_Menu_NEW_EQN...
------------	----------------------------------	--	---

page scrolling indicator :      ▲ ▼

Menu	NEW	1	2	3	4	5	6
3	g-shift						
2	f-shift	<b>arsinh</b>	<b>arcosh</b>	<b>artanh</b>	<b>MOD</b>	<b>RMD</b>	<b>X.SWAP</b>
1	unshifted	<b>sinh</b>	<b>cosh</b>	<b>tanh</b>	<b>IDIV</b>	<b>←</b>	<b>→</b>
<b>Page</b>	<b>5</b>	F1	F2	F3	F4	F5	F6

Info	EIM = Equation Input Mode ; scroll through expressions using [▲] and [▼] ; constant names cannot be used as variables ; [EEX] enters E as a shortcut for 10 <sup>n</sup> ; Ref : Equation editor
------	--

NEW	Page 5										
F-key	Button label (complete)	Full name	Description (extended)	Type	Flag name	Additional information	Catalog	Default	Status		
F1	sinh	Hyperbolic sine	Hyperbolic sine	Function (monadic)			sinh				
F2	cosh	Hyperbolic cosine	Hyperbolic cosine	Function (monadic)			cosh				
F3	tanh	Hyperbolic tangent	Hyperbolic tangent	Function (monadic)			tanh				
F4	IDIV	Integer divide	Integer divide	Function (dyadic)			IDIV				
F5	←	Cursor left	Move cursor left	Arrow							
F6	→	Cursor right	Move cursor right	Arrow							

fShifted F1	arsinh	Inverse hyperbolic sine	Inverse hyperbolic sine	Function (monadic)			arsinh		
fShifted F2	arcosh	Inverse hyperbolic cosine	Inverse hyperbolic cosine	Function (monadic)			arcosh		
fShifted F3	artanh	Inverse hyperbolic tangent	Inverse hyperbolic tangent	Function (monadic)			artanh		
fShifted F4	MOD	Modulo	Y modulo X	Function (dyadic)			MOD		
fShifted F5	RMD	Remainder	Remainder of division of Y by X	Function (dyadic)			RMD		
fShifted F6	X.SWAP	Swap X	Swap contents of X register with input of alpha or equation editor	Command			X.SWAP		

gShifted F1	<empty>								
gShifted F2	<empty>								
gShifted F3	<empty>								
gShifted F4	<empty>								
gShifted F5	<empty>								
gShifted F6	<empty>								